

	A	B	E	F	G	I	J	K	L	M	N
1	ID #	Scientific Name	Common Name	Family	Habit	LIS Listed Occurrences in Ventura County	Areas Currently Documented in Ventura County	Associated Vegetation Communities	Elevations Present Within	Associated Soil Types	Bloom Period
2	1	<i>Abronia turbinata</i>	Turbinate sand-verbena	Nyctaginaceae	A/PH	2	Cuddy Valley 3411971, Lockwood Valley 3411961	Sagebrush Scrub, Creosote Bush Scrub, Pinyon-Juniper Woodland	900-2500 m	Dry, sandy soil. Los Gatos-Kilburn-Panamint families association, 10 to 30 percent slopes;	May-Jul
3	2	<i>Acmispon micranthus</i>	Grab hosackia	Fabaceae	AH	3	Wheeler Springs 3411953, Santa Paula Peak 3411941, Newbury Park 3411828, Thousand Oaks 3411827, Santa Susana 3411837	Coastal Scrub, Desert Canyons, Washes, Disturbed areas	< 600 m	Clay Loam, Loam, Sandy loam, Variable	Mar-Jul

	A	B	E	F	G	I	J	K	L	M	N
	ID #	Scientific Name	Common Name	Family	Habit	LIS Listed Occurrences in Ventura County	Areas Currently Documented in Ventura County	Associated Vegetation Communities	Elevations Present Within	Associated Soil Types	Bloom Period
1											
23	22	<i>Ambrosia salsola var. salsola</i>	Burrobrush	Asteraceae	S	3	Apache Canyon 3411973, Rancho Nuevo Creek 3411964	Sagescrub, Desert shrub	70 -1850 m	Sandy loam	Feb-Jun
24	23	<i>Ammannia coccinea</i>	Long-leaved or purple ammannia	Lythraceae	AH	3	Matilija 3411943,Ojai 3411942	wetland-riparian	< 300 m	Loam, Sandy loam, Sand	Jun-Aug
25	24	<i>Ammannia robusta</i>	Grand redstem	Lythraceae	AH	2	Matilija 3411943, Simi 3411837	wetland-riparian,	< 500 m	Sandy loam	Jun-Aug
26	25	<i>Amsinckia eastwoodiae</i>	Elegant fiddleneck	Boraginaceae	AH	1	Ojai 3411942	Open valleys, hills	10 -1500 m.	Clay, Clay loam, Loam, Sandy loam	Mar-May

	A	B	E	F	G	I	J	K	L	M	N
1	ID #	Scientific Name	Common Name	Family	Habit	LIS Listed Occurrences in Ventura County	Areas Currently Documented in Ventura County	Associated Vegetation Communities	Elevations Present Within	Associated Soil Types	Bloom Period
27	26	<i>Amsinckia spectabilis</i> var. <i>spectabilis</i>	Showy fiddleneck	Boraginaceae	AH	1	Point Mugu 3411911, Ventura 3411933	Coastal Strand, Coastal Salt Marsh	0-270 m	Clay loam, Loam, Sandy loam, Loamy sand, Sand, Variable	Apr-Aug
28	27	<i>Amsinckia vernicosa</i>	Waxy fiddleneck, Green fiddleneck	Boraginaceae	AH	1	Ballinger Canyon 3411984, Rancho Nuevo Creek 3411964	Foothill Woodland, Valley Grassland, Joshua Tree Woodland	50 -1400 m.	Silty clay, Silty clay loam, Clay loam, Loam, Sandy loam, Sand, Bedrock	Mar-May
29	28	<i>Andropogon glomeratus</i> var. <i>scabriglumis</i>	Soutwestern bushy bluestem	Poaceae	PG	1	Saticoy 3411932, Devils Heart Peak 3411858, □ Matilija 3411943,	Coastal Sage Scrub, Creosote Bush Scrub, Chaparral, wetland-riparian	< 600 m	Silt loam, Loam	Sep-Mar
30	29	<i>Antennaria dimorpha</i>	Low everlasting	Asteraceae	PH	2	Sawmill Mountain 341197	Sagebrush Scrub, Yellow Pine Forest, Red Fir Forest, Lodgepole Forest, Pinyon-Juniper Woodland	800-2400 m	Loam, Sandy loam	May-Jul
31	30	<i>Anthoxanthum occidentale</i>	California sweet grass	Poaceae	PG	1	Fillmore 3411848	Pine Forest, Redwood Forest, Mixed Evergreen Forest	< 750 m	Decomposed plant material, Clay loam, Silt loam, Loam, Sandy loam	Jan-Jul
32	31	<i>Antirrhinum nuttallianum</i> subsp. <i>Subsessile</i>	Nuttall snapdragon	Plantaginaceae	AH	5	Ventura 3411933, Point Mugu 3411911, Newbury Park 3411828, Triunfo Pass 3411818	Coastal Sage Scrub, Chaparral	< 1300 m	Clay loam, Silt loam, Loam, Sandy loam, Variable	Mar-Aug

	A	B	E	F	G	I	J	K	L	M	N
1	ID #	Scientific Name	Common Name	Family	Habit	LIS Listed Occurrences in Ventura County	Areas Currently Documented in Ventura County	Associated Vegetation Communities	Elevations Present Within	Associated Soil Types	Bloom Period
33	32	<i>Aphanes occidentalis</i>	Western lady's mantle	Rosaceae	AH	3	Matilija 3411943, Ojai 3411942, Ventura 3411933, Simi 3411837, □ Newbury Park 3411828, Thousand Oaks 3411827	Mixed Evergreen Forest, Foothill Woodland, Valley Grassland	30 -1200 m	Clay, Clay loam, Silt loam, Loam, Sandy loam, Loamy sand, Sand, Bedrock, Variable, Decomposed plant material	Mar-May
34	33	<i>Aphyllon validum</i> ssp. <i>validum</i>	Rock creek broomrape	Orobanchaceae	PH	1	Topatopa Mountains 3411951	Chaparral, Pinyon-Juniper Woodland	1250-2000 m	No Referenced Soil Type Found For Species.	Mar- Jun
35	34	<i>Aralia californica</i>	Elk clover, Spikenard	Araliaceae	S	3	Wheeler Springs 3411953, Lion Canyon 3411952	Yellow Pine Forest, Foothill Woodland, Chaparral, Valley Grassland, wetland-riparian,	< 2500 m	Clay loam, Silt loam, Loam, Sandy loam, Bedrock, Decomposed plant material. acidic, humus-rich soil.	Jun-Aug
36	35	<i>Arbutus menziesii</i>	Pacific madrone	Ericaceae	T	5	Wheeler Springs 3411953, Ojai 3411942, Matilija 3411943, White Ledge Peak 3411944	Redwood Forest, Douglas-Fir Forest, Mixed Evergreen Forest, Northern Oak Woodland, Southern Oak Woodland, Foothill Woodland	100 -1500 m	Silty clay loam, Clay loam, Silt loam, Loam, Sandy loam, Sand, Bedrock, Decomposed plant material	Mar-May
37	36	<i>Arctostaphylos patula</i>	Greenleaf manzanita	Ericaceae	S	3	Sawmill Mountain 341197, □ Cuddy Valley 3411971	Yellow Pine Forest, Red Fir Forest	750-3350 m	Decomposed plant material, Loam, Sandy loam, Loamy sand, Bedrock	Apr-Jun

	A	B	E	F	G	I	J	K	L	M	N
1	ID #	Scientific Name	Common Name	Family	Habit	LIS Listed Occurrences in Ventura County	Areas Currently Documented in Ventura County	Associated Vegetation Communities	Elevations Present Within	Associated Soil Types	Bloom Period
38	37	<i>Aristida purpurea</i> var. <i>purpurea</i>	Purple three-awn grass	Poaceae	PG	4	Santa Paula 3411931, Fillmore 3411848, Newbury Park 3411828, Thousand Oaks 3411827	Coastal Sage Scrub, Creosote Bush Scrub	250 -800 m	Sandy loam, Bedrock	Feb-Mar
39	38	<i>Aristida ternipes</i> var. <i>gentilis</i>	Hook three-awn grass	Poaceae	PG	1	Matilija 3411943	Rocky hills and dry plateaus	100 -1350 m	No Referenced Soil Type Found For Species.	May-Nov
40	39	<i>Arnica discoidea</i>	Rayless or Discoid arnica	Asteraceae	PH	1	White Ledge Peak 3411944	Chaparral, foothill woodland	100-1500 m	Decomposed plant material, Clay loam, Loam, Sandy loam, Sand, Bedrock	May-Jul
41	40	<i>Artemisia ludoviciana</i> subsp. <i>incompta</i>	White sagebrush	Asteraceae	PH	1	Matilija 3411943	Shrubland, woodland, conifer forest	< 3500 m	Loam, Sandy loam, Bedrock	Jul-Sep
42	41	<i>Artemisia tridentata</i> subsp. <i>Parishii</i>	Parish great basin sagebrush	Asteraceae	S	3	Cuyama Peak 3411974, Fillmore 3411848, Santa Paula 3411931, Saticoy 3411932	Sagebrush steppe and sagebrush shrubland communities	300 -1800 m	No Referenced Soil Type Found For Species.	Sep-Nov
43	42	<i>Astragalus curtipes</i>	Morro milkvetch	Fabaceae	PH	2	Camarillo 3411921	Coastal Strand, Coastal Sage Scrub	< 450 m	Clay, Clay loam, Loam	Feb-Jun

	A	B	E	F	G	I	J	K	L	M	N
1	ID #	Scientific Name	Common Name	Family	Habit	LIS Listed Occurrences in Ventura County	Areas Currently Documented in Ventura County	Associated Vegetation Communities	Elevations Present Within	Associated Soil Types	Bloom Period
44	43	<i>Astragalus oxyphysus</i>	Stanislaus milkvetch	Fabaceae	PH	3	Reyes Peak 3411963,	Foothill Woodland, Valley Grassland	100 -1200 m	Clay, Clay loam, Loam, Sandy loam, Sand, Variable	Mar-Jun
45	44	<i>Astragalus pomonensis</i>	Pomona locoweed, Pomona milk vetch	Fabaceae	PH	3	Simi 3411837, □ Camarillo 3411921	Coastal Sage Scrub, Foothill Woodland, Disturbed areas	< 1200m	Clay loam, Sandy loam, Loamy sand	Mar-May
46	45	<i>Astragalus whitneyi</i> var. <i>whitneyi</i>	Whitney locoweed, Balloonpod milk vetch, Whitneys milk vetch	Fabaceae	PH	3	Sawmill Mountain 3411972	Sagebrush Scrub, Yellow Pine Forest, Subalpine Forest, Northern Oak Woodland, Alpine Fell-fields, Northern Juniper Woodland	1550-3500 m	Loam, Sandy loam	May-Sep
47	46	<i>Atriplex argentea</i> var. <i>expansa</i>	Mojave silverscale	Chenopodiaceae	PH	5	Rancho Nuevo Creek 3411964, San Guillermo 3411962, Matilija 3411943, Ventura 3411933, Oxnard 3411922, Simi 3411837	Wetlands, Dry or saline substrates	< 1500 m	Clay, Silty clay loam, Clay loam, Sandy clay loam, Silt loam, Loam, Sandy loam	Jul-Nov

	A	B	E	F	G	I	J	K	L	M	N
1	ID #	Scientific Name	Common Name	Family	Habit	LIS Listed Occurrences in Ventura County	Areas Currently Documented in Ventura County	Associated Vegetation Communities	Elevations Present Within	Associated Soil Types	Bloom Period
48	47	<i>Atriplex canescens</i> var. <i>laciniata</i>	Caleb saltbush	Chenopodiaceae	S	1	Rancho Nuevo Creek 3411964	Saline desert flats, alluvial fans	< 1500 m	Alkaline, well-drained soils. Saline tolerant, Caliche type, Limestone-based, Sandy, Sandy Loam, Medium Loam Clay Loam Clay Calcareous	Mar-Oct
49	48	<i>Atriplex dioica</i>	Thickleaf orach	Chenopodiaceae	AH	4	Ventura 3411933, □ Oxnard 3411922	prairies, stream valleys, along shores	< 200 m	Moist, saline or alkaline soils	Jul-Nov
50	49	<i>Atriplex watsonii</i>	Matscale	Chenopodiaceae	PH	1	Point Mugu 3411911	Coastal Strand, Coastal Salt Marsh, Coastal Sage Scrub, wetland-riparian	< 170 m	alkaline soil and sand.	Mar-Oct
51	50	<i>Baccharis salicina</i>	Emory baccharis	Asteraceae	S	1	Wheeler Springs 3411953, Fillmore 3411848	Coastal Sage Scrub, Creosote Bush Scrub, wetland-riparian	6-1600 m	moderately saline	May- Nov
52	51	<i>Batis maritima</i>	Saltwort, Beachwort	Bataceae	S	3	Point Mugu 3411911	Coastal Strand, Coastal Salt Marsh, wetland-riparian	< 10 m	Sand, Variable, Moderately Saline. tolerant of sand, loam and clay	Apr- Sep
53	52	<i>Berberis aquifolium</i> var. <i>dictyota</i>	Dull-leaf or Jepson holly-leaved barberry	Berberidiaceae	S	3	Matilija 3411943	Slopes, canyons, conifer forest, oak woodland, chaparral	90-2200 m	Non saline: Decomposed plant material, Clay loam, Loam, Sandy loam, Bedrock, Rocky	Mar-May

	A	B	E	F	G	I	J	K	L	M	N
1	ID #	Scientific Name	Common Name	Family	Habit	LIS Listed Occurrences in Ventura County	Areas Currently Documented in Ventura County	Associated Vegetation Communities	Elevations Present Within	Associated Soil Types	Bloom Period
54	53	<i>Berberis pinnata</i> subsp. <i>pinnata</i>	California barberry, Coast barberry	Berberidiaceae	S	1	Triunfo Pass 3411818 □	conifer forest, oak woodland, chaparra	< 1900m	Decomposed plant material, Clay loam, Silt loam, Loam, Sandy loam, Sand, Bedrock, Variable	Feb-May
55	54	<i>Bidens frondosa</i>	Sticktight	Asteraceae	AH	2	Thousand Oaks 3411827, Santa Paula 3411931, □ Piru 3411847	wetland riparian	< 2100m	Slightly Saline, Clay, Loam, Peat	Jun-Oct
56	55	<i>Boechera breweri</i> subsp. <i>Breweri</i>	Brewer rock cress	Brassicaceae	PH	2	□ Wheeler Springs 3411953, Lion Canyon 3411952	Yellow Pine Forest, Red Fir Forest, Foothill Woodland, Alpine Fell-fields	300-2300 m	Decomposed plant material, Silt loam, Loam, Sandy loam, Bedrock	Mar-Jul
57	56	<i>Boechera californica</i>	California rockcress	Brassicaceae	PH	1	Sawmill Mountain 3411972, □ Alamo Mountain 3411868, Wheeler Springs 3411953, □ Black Mtn. 3411867, Santa Susana 3411836	Rocky slopes, gravelly soil, in chaparral, oak woodland	350-2300 m	Loam, Sandy loam	Mar-Jun

	A	B	E	F	G	I	J	K	L	M	N
1	ID #	Scientific Name	Common Name	Family	Habit	LIS Listed Occurrences in Ventura County	Areas Currently Documented in Ventura County	Associated Vegetation Communities	Elevations Present Within	Associated Soil Types	Bloom Period
58	57	<i>Boechera retrofracta</i>	Holboell rock cress	Brassicaceae	PH	1	Wheeler Springs 3411953	Rock outcrops, sandy soil, in grassland, sagebrush steppe, open conifer forest;	900-3312 m.	Loam, Sandy loam	Apr-Aug
59	58	<i>Boechera xylopoda</i>	Bigfoot hybrid rockcress	Brassicaceae	PH	4	Lockwood Valley 3411961	Desert scrub, sagebrush, and chaparral	800-2500 m	No Referenced Soil Type Found For Species.	Mar-May
60	59	<i>Bolboschoenus robustus</i>	Seacoast bullrush	Cyperaceae	PG	3	Ventura 3411933, 3411923, Oxnard 3411922, Simi 3411837	Coastal Salt Marsh, Freshwater Wetlands, Alkali Sink, wetland-riparian	0 to 1200 m	moderately saline	Aug-Sep
61	60	<i>Botrychium simplex var. simplex</i>	Least moonwort, Little grapefern	Ophioglossaceae	PF	1	Sawmill Mountain 3411972	Saturated moss or sedge mats around hard water seeps and streamlets	1500-3200 m	No Referenced Soil Type Found For Species.	Jul-Aug
62	61	<i>Boykinia occidentalis</i>	Santa lucia brookfoam	Saxifragaceae	PH	4	Lion Canyon 3411952, Cobblestone Mtn. 3411857, Ojai 3411942, Matilija 3411943, Wheeler Springs 3411953,	Northern Coastal Scrub, Redwood Forest, Yellow Pine Forest, Mixed Evergreen Forest, Chaparral, wetland-riparian	< 1500 m	Decomposed plant material, Loam, Sandy loam	May-Aug
63	62	<i>Boykinia rotundifolia</i>	Roundleaved boykinia	Saxifragaceae	PH	4	Reyes Peak 3411963, Lion Canyon 3411952, Devils Heart Peak 3411858, Ojai 3411942, Santa Paula Peak 3411941, Newbury Park 3411828,	Chaparral, wetland-riparian	< 2000m	Loam, Sandy loam	May-Jul

	A	B	E	F	G	I	J	K	L	M	N
1	ID #	Scientific Name	Common Name	Family	Habit	LIS Listed Occurrences in Ventura County	Areas Currently Documented in Ventura County	Associated Vegetation Communities	Elevations Present Within	Associated Soil Types	Bloom Period
64	63	<i>Bromus orcuttianus</i>	Orcutt's brome	Poaceae	AG	3	Reyes Peak 341196, Alamo Mountain 3411868, White Ledge Peak 3411944	Dry places, meadows, scrub, open forest;	520m-3500m	Decomposed plant material, Loam, Sandy loam	Jun-Jul
65	64	<i>California macrophylla</i>	Largeleaf filaree	Geraniaceae	AH	2	Rancho Nuevo Creek 3411964, Piru 3411847, Simi 3411837, Newbury Park 3411828	Open sites, grassland, scrub, vertic clay, occasionally serpentine	< 1200 m	Clay, Silty clay loam, Loam, Sandy loam	Mar-Jul
66	65	<i>Callitriche marginata</i>	California water-starwort, Wallow starwort	Plantaginaceae	PH	3	Apache Canyon 3411973, Matilija 3411943, Santa Paula 3411931, 3411923	Yellow Pine Forest, Foothill Woodland, Chaparral, Valley Grassland, wetland-riparian, many plant communities	< +- 1500 m	Decomposed plant material, Clay, Loam, Sandy loam, Sand	Mar-Jun
67	66	<i>Calystegia malacophylla</i> subsp. <i>malacophylla</i>	Sierra morning-glory	Convolvulaceae	PV	1	Sawmill Mountain 3411972	Dry slopes, chaparral;	1000-2400 m	Decomposed plant material, Loam, Sandy loam, Bedrock	Jun-Aug
68	67	<i>Calystegia occidentalis</i> subsp. <i>fulcrata</i>	Western morning-glory	Convolvulaceae	PV	1	Frazier Mtn. 3411878, Lockwood Valley 3411961,	Dry slopes, chaparral, pine woodland	300-2700 m	Loam, Sandy loam	May-Aug
69	68	<i>Camissonia contorta</i>	Contorted primrose	Onagraceae	AH	2	Cuddy Valley 3411971, Reyes Peak 3411963, Lion Canyon 3411952	Sandy soil, slopes, flats, often disturbed, grassland, chaparral, pinyon/juniper woodland	< 2300 m	Clay loam, Silt loam, Loam, Sandy loam, Loamy sand, Sand, Bedrock	May-Jun

	A	B	E	F	G	I	J	K	L	M	N
1	ID #	Scientific Name	Common Name	Family	Habit	LIS Listed Occurrences in Ventura County	Areas Currently Documented in Ventura County	Associated Vegetation Communities	Elevations Present Within	Associated Soil Types	Bloom Period
75	74	<i>Carex densa</i>	Dense sedge	Cyperaceae	PG	3	Alamo Mountain 3411868, Matilija 3411943,	Northern Coastal Scrub, Yellow Pine Forest, Mixed Evergreen Forest, Foothill Woodland, Coastal Prairie, Valley Grassland, Northern Juniper Woodland, wetland-riparian	< 1500 m	Decomposed plant material, Clay, Clay loam, Silt loam, Loam, Sandy loam, Variable	Apr-Jul
76	75	<i>Carex fracta</i>	Fragile-sheathed sedge	Cyperaceae	PG	2	Frazier Mtn. 3411878, Reyes Peak 3411963, San Guillermo 3411962, Lockwood Valley 3411961, Alamo Mountain 3411868,	Common. Montane meadows, open forests, edges, roadsides,	250-3300 m.	Decomposed plant material, Loam, Sandy loam, Loamy sand	May-Sep
77	76	<i>Carex globosa</i>	Round-fruited sedge	Cyperaceae	PG	3-4*	White Ledge Peak 3411944, Matilija 3411943, Santa Paula Peak 3411941	Well-drained soil of wooded areas: Northern Coastal Scrub, Redwood Forest, Mixed Evergreen Forest, Southern Oak Woodland	< 1800 m	Decomposed plant material, Clay loam, Loam, Sandy loam, Sand, Bedrock, Variable	Apr-Jun
78	77	<i>Carex hassei</i>	Hasse sedge	Cyperaceae	PG	2	Sawmill Mountain 3411972, Lockwood Valley 3411961	Springs, peatland, fens, moist meadows,	< 2900 m	Loam, Sandy loam	May-Aug

	A	B	E	F	G	I	J	K	L	M	N
1	ID #	Scientific Name	Common Name	Family	Habit	LIS Listed Occurrences in Ventura County	Areas Currently Documented in Ventura County	Associated Vegetation Communities	Elevations Present Within	Associated Soil Types	Bloom Period
83	82	<i>Carex rossii</i>	Ross sedge	Cyperaceae	PG	3	Old Man Mountain 3411954, Sawmill Mountain 3411972, Lion Canyon 3411952, Santa Paula Peak 3411941, Simi 3411837	Dry forest, meadows: Yellow Pine Forest, Red Fir Forest, Lodgepole Forest, Subalpine Forest, Coastal Prairie, Alpine Fell-fields	< 3800 m	Decomposed plant material, Loam, Sandy loam, Loamy sand, Bedrock, Rocky	May-Aug
84	83	<i>Carex schottii</i>	Schott sedge	Cyperaceae	PG	1	Lockwood Valley 3411961, Alamo Mountain 3411868, Matilija 3411943	Coastal Sage Scrub, Southern Oak Woodland, wetland-riparian	< 2500 m.	No Referenced Soil Type Found For Species.	Apr-Jul
85	84	<i>Carex spissa</i>	San diego sedge	Cyperaceae	PG	1	Point Mugu 3411911, Triunfo Pass 3411818	Coastal Sage Scrub, Southern Oak Woodland, Chaparral, wetland-riparian	< 1200 m	Clay, Silt loam, Loam, Sandy loam, Loamy sand, Sand	Apr-Sep

	A	B	E	F	G	I	J	K	L	M	N
1	ID #	Scientific Name	Common Name	Family	Habit	LIS Listed Occurrences in Ventura County	Areas Currently Documented in Ventura County	Associated Vegetation Communities	Elevations Present Within	Associated Soil Types	Bloom Period
89	88	<i>Caulanthus inflatus</i>	Desert candle	Brassicaceae	AH	3	Ballinger Canyon 3411984	Creosote Bush Scrub, Valley Grassland, Joshua Tree Woodland	150-1500 m	Clay, Silty clay, Clay loam, Loam, Sandy loam, Sand, Bedrock	Mar-May
90	89	<i>Ceanothus cuneatus var. ramulosus</i>	Coast ceanothus	Rhamnaceae	S	1	Matilija 3411943	Sandy substrates, serpentine, chaparral	< 700 m	Clay, Loam, Sandy loam	Feb-May
91	90	<i>Chaenactis fremontii</i>	Fremont pincushion	Asteraceae	AH	2	Ballinger Canyon 3411984, Apache Canyon 3411973, Cuyama Peak 3411974, Lockwood Valley 3411961, Black Mtn. 3411867, Alamo Mountain 3411868	Creosote Bush Scrub, Chaparral, Valley Grassland, Joshua Tree Woodland	10-2200 m	Clay loam, Loam, Sandy loam, Loamy sand, Sand, Bedrock	Feb- May

	A	B	E	F	G	I	J	K	L	M	N
1	ID #	Scientific Name	Common Name	Family	Habit	LIS Listed Occurrences in Ventura County	Areas Currently Documented in Ventura County	Associated Vegetation Communities	Elevations Present Within	Associated Soil Types	Bloom Period
92	91	<i>Chaenactis glabriuscula</i> var. <i>heterocarpa</i>	Inner coast range pincushion	Asteraceae	AH	2	Rancho Nuevo Creek 3411964, Wheeler Springs 3411953	Slopes, ridges, openings in chaparral, woodland, generally serpentine or shale	100-1500 m	Decomposed plant material, Loam, Sandy loam	Mar-Jun
93	92	<i>Chaenactis glabriuscula</i> var. <i>megacephala</i>	Big-flowered yellow pincushion	Asteraceae	AH	4	Ballinger Canyon 3411984, Cobblestone Mtn. 3411857, Santa Susana 3411836	Dry, often sandy slopes, openings in chaparral, woodland	300-1500 m	Loam	Mar-Jun
94	93	<i>Chenopodium berlandieri</i> var. <i>zschackei</i>	Pitseed goosefoot	Chenopodiaceae	AH	5	Lion Canyon 3411952, Matilija 3411943, Ventura 3411933, Santa Paula 3411931, Piru 3411846	Disturbed areas, ocean bluffs, sandy washes	< 2000 m	No Referenced Soil Type Found For Species.	Jul-Sep
95	94	<i>Chenopodium desiccatum</i>	Aridland goosefoot	Chenopodiaceae	AH	2	Sawmill Mountain 3411972	Yellow Pine Forest, Red Fir Forest, Lodgepole Forest, Pinyon-Juniper Woodland	< 2900 m	Sandy loam, Loamy sand	Jul-Sep
96	95	<i>Chorizanthe brevicornu</i> var. <i>brevicornu</i>	Brittle spineflower	Polygonaceae	AH	1	Piru 3411847	Sand, gravel, common	60-2300 m	Sandy loam, Loamy sand, Sand	Feb-Jul

	A	B	E	F	G	I	J	K	L	M	N
1	ID #	Scientific Name	Common Name	Family	Habit	LIS Listed Occurrences in Ventura County	Areas Currently Documented in Ventura County	Associated Vegetation Communities	Elevations Present Within	Associated Soil Types	Bloom Period
97	96	<i>Chorizanthe clevelandii</i>	Cleveland spineflower	Polygonaceae	AH	4	Sawmill Mountain 3411972, San Guillermo 3411962, Lockwood Valley 3411961, Lion Canyon 3411952, □	Northern Oak Woodland, Foothill Woodland, Chaparral	400-2000 m	Clay loam	May-Sep
98	97	<i>Chorizanthe membranacea</i>	Pink spineflower	Polygonaceae	AH	1	Matilija 3411943	Foothill Woodland, Chaparral, Valley Grassland	40-1400 m	Decomposed plant material, Clay, Clay loam, Silt loam, Loam, Sandy loam, Loamy sand, Bedrock	Apr-Jul
99	98	<i>Chorizanthe uniaristata</i>	One-awned spineflower	Polygonaceae	AH	4	Rancho Nuevo Creek 3411964, Reyes Peak 3411963, Wheeler Springs 3411953	Foothill Woodland, Chaparral, Valley Grassland	800-1900 m	Silty clay loam, Sandy clay loam, Loam, Sandy loam, Rocky	Apr-Jul
100	99	<i>Chrysothamnus viscidiflorus</i> subsp. <i>Viscidiflorus</i>	Yellow rabbitbrush	Asteraceae	S	2	Sawmill Mountain 3411972, Frazier Mtn. 3411878, Alamo Mountain 3411868,	Sagebrush, pinyon/juniper, alpine talus	900-4000 m	Silty clay loam, Sandy clay loam, Loam, Sandy loam, Rocky	Jul-Sep

	A	B	E	F	G	I	J	K	L	M	N
1	ID #	Scientific Name	Common Name	Family	Habit	LIS Listed Occurrences in Ventura County	Areas Currently Documented in Ventura County	Associated Vegetation Communities	Elevations Present Within	Associated Soil Types	Bloom Period
111	110	<i>Cornus sericea</i> subsp. <i>sericea</i>	American or Creek dogwood, Red osier dogwood	Cornaceae	S	3	Santa Paula Peak 3411941, White Ledge Peak 3411944	Yellow Pine Forest, Red Fir Forest, Lodgepole Forest, wetland-riparian	< 2800 m	Clay loam, Loam, Sandy loam, Loamy sand, Bedrock, Decomposed plant material	May-Jul
112	111	<i>Crassula aquaticica</i>	Water pigmy weed	Crassulaceae	AH	1	□ Matilija 3411943	Yellow Pine Forest, Foothill Woodland, Chaparral, Valley Grassland, wetland-riparian, many plant communities	< 3000 m	Clay, Silt loam, Loam, Sandy loam	Mar-Jun
113	112	<i>Crepis acuminata</i>	Long-leaved hawksbeard	Asteraceae	PH	4	Frazier Mtn. 3411878, Lion Canyon 3411952, Lockwood Valley 3411961, Alamo Mountain 3411868,	Sagebrush Scrub, Yellow Pine Forest, Red Fir Forest, Lodgepole Forest, Subalpine Forest	1000-3300 m	Decomposed plant material, Loam, Sandy loam, Loamy sand, Bedrock	May-Aug
114	113	<i>Cryptantha affinis</i>	Side grooved cryptantha	Boraginaceae	AH	2	Wheeler Springs 3411953	conifer forest, chaparral	630-2600 m	Decomposed plant material, Loam, Sandy loam, Rocky	May-Aug
115	114	<i>Cryptantha flaccida</i>	Weak stemmed, Pale cryptantha	Boraginaceae	AH	4	Wheeler Springs 3411954	Yellow Pine Forest, Foothill Woodland, Chaparral, Valley Grassland, many plant communities	< 1700 m	Decomposed plant material, Clay, Clay loam, Loam, Sandy loam, Bedrock	Apr-Jul
116	115	<i>Cryptantha leiocarpa</i>	Beach cryptantha	Boraginaceae	AH	4	Ventura 3411933, □ 3411923	Coastal Strand, Northern Coastal Scrub	< 100 m	Decomposed plant material, Sandy loam, Sand	Mar-Aug
117	116	<i>Cryptantha pterocarya</i> var. <i>pterocarya</i>	Winged-nut cryptantha	Boraginaceae	AH	1	Lockwood Valley 3411961	desert scrub, washes, sagebrush, woodland openings	200-2630 m	Loam	Mar-Jul

	A	B	E	F	G	I	J	K	L	M	N
1	ID #	Scientific Name	Common Name	Family	Habit	LIS Listed Occurrences in Ventura County	Areas Currently Documented in Ventura County	Associated Vegetation Communities	Elevations Present Within	Associated Soil Types	Bloom Period
118	117	<i>Cryptantha sparsiflora</i>	Few-flowered cryptantha	Boraginaceae	AH	4	Rancho Nuevo Creek 3411964, Reyes Peak 3411963, Santa Paula Peak 3411941	Foothill Woodland, Chaparral, sparse grassland,	300-1300 m	No Referenced Soil Type Found For Species.	Apr-May
119	118	<i>Cucurbita palmata</i>	Coyote melon	Cucurbitaceae	PV	1	Ventura 3411933	Coastal Sage Scrub, Creosote Bush Scrub, Valley Grassland	< 1300 m.	Loam, Sandy loam, Loamy sand, Sand, Bedrock	Apr-Sep
120	119	<i>Cycladenia humilis var. venusta</i>	Showy cycladenia	Convolvulaceae	PH	1	Reyes Peak 3411963	chaparral, talus, loose gravel, dry ground in light shade of pines,	1550-2500 m	No Referenced Soil Type Found For Species.	May-Jul
121	120	<i>Cylindropuntia bernardina</i>	Cane cholla	Apocynaceae	S	2	Cuyama Peak 3411974, Lockwood Valley 3411961, □ Point Mugu 3411911	Chaparral, pinyon/juniper woodland	700-1900 m	Loam, Sandy loam, Loamy sand, Sand	Apr-Jul
122	121	<i>Cyperus acuminatus</i>	Short-pointed umbrella-sedge, Tapertip flatsedge	Cactaceae	AG	2	Matilija 3411943	wetland-riparian, many plant communities. Edges of temporary pools, ponds, streams	< 400 m	wet, sandy	Jun-Oct

	A	B	E	F	G	I	J	K	L	M	N
1	ID #	Scientific Name	Common Name	Family	Habit	LIS Listed Occurrences in Ventura County	Areas Currently Documented in Ventura County	Associated Vegetation Communities	Elevations Present Within	Associated Soil Types	Bloom Period
123	122	<i>Cyperus erythrorhizos</i>	Red-root flatsedge, Red rooted cyperus	Cyperaceae	AG	1	Matilija 3411943, Fillmore 3411848, Newbury Park 3411828, Thousand Oaks 3411827	wetland-riparian	< 500 m	Sandy loam	Jul-Oct
124	123	<i>Cyperus laevigatus</i>	Smooth flatsedge	Cyperaceae	PG	2	Santa Paula 3411931	Coastal Sage Scrub, Creosote Bush Scrub, Alkali Sink, wetland- riparian	30-1000 m	No Referenced Soil Type Found For Species.	Jul-Dec

	A	B	E	F	G	I	J	K	L	M	N
	ID #	Scientific Name	Common Name	Family	Habit	LIS Listed Occurrences in Ventura County	Areas Currently Documented in Ventura County	Associated Vegetation Communities	Elevations Present Within	Associated Soil Types	Bloom Period
1	124	<i>Cyperus odoratus</i>	Flatsedge	Cyperaceae	AG	2	Matilija 3411943, Santa Paula 3411931, 3411923, Newbury Park 3411828, Val Verde 341184 □ Piru 3411847	wetland-riparian, many plant communities	< 500 m	Silt loam, Sandy loam, Sand	Jul-Oct

	A	B	E	F	G	I	J	K	L	M	N
1	ID #	Scientific Name	Common Name	Family	Habit	LIS Listed Occurrences in Ventura County	Areas Currently Documented in Ventura County	Associated Vegetation Communities	Elevations Present Within	Associated Soil Types	Bloom Period
126	125	<i>Cyperus squarrosus</i>	Awne d flatsedge, Awne d cyperus	Cyperaceae	PG	1	Matilija 3411943	wetland-riparian, many plant communities: Moist, sunny, disturbed places, especially pond margins, riverbanks;	< 1500 m	Decomposed plant material, Loam, Sandy loam	Jun, Nov
127	126	<i>Danthonia unispicata</i>	One-spike oat grass	Poaceae	PG	1	Lockwood Valley 3411961	Sagebrush Scrub, Yellow Pine Forest, Red Fir Forest, Lodgepole Forest, Northern Juniper Woodland	400-3200 m	Decomposed plant material, Clay, Clay loam, Loam, Sandy loam, Bedrock	May-Aug
128	127	<i>Delphinium gracilentum</i>	Coast larkspur, Slender larkspur, Greene's larkspur	Ranunculaceae	PH	2	Sawmill Mountain 3411972, Frazier Mtn. 3411878	Meadows: Yellow Pine Forest, Red Fir Forest, Lodgepole Forest, Subalpine Forest, Foothill Woodland	150-2700 m	Decomposed plant material, Silt loam, Loam, Sandy loam, Loamy sand, Bedrock	Mar-Jun
129	128	<i>Deschampsia cespitosa</i> subsp. <i>Cespitosa</i>	Tufted hairgrass	Poaceae	PG	3	Sawmill Mountain 3411972	wetland-riparian	< 3820 m	Decomposed plant material, Loam, Sandy loam	Jul-Aug
130	129	<i>Descurainia californica</i>	California tansy mustard	Brassicaceae	AH	2	San Guillermo 3411962	Yellow Pine Forest, Red Fir Forest, Lodgepole Forest, Subalpine Forest, Pinyon-Juniper Woodland	1700-3400 m	Loam, Sandy loam, Loamy sand	May-Aug
131	130	<i>Dicentra pauciflora</i>	Few-flowered bleeding heart	Fumariaceae	PH	1	Reyes Peak 3411963, San Guillermo 3411962	Subalpine Forest, Alpine Fell-fields	1200-3000 m.	Loam, Sandy loam, Bedrock	Jun-Jul

	A	B	E	F	G	I	J	K	L	M	N
1	ID #	Scientific Name	Common Name	Family	Habit	LIS Listed Occurrences in Ventura County	Areas Currently Documented in Ventura County	Associated Vegetation Communities	Elevations Present Within	Associated Soil Types	Bloom Period
145	144	<i>Eleocharis suksdorfiana</i>	Suksdorf's spikerush	Cyperaceae	PG	2	Sawmill Mountain 3411972	Wet meadows, fens, springs	< 3400 m	No Referenced Soil Type Found For Species.	Summer
146	145	<i>Elodea canadensis</i>	Common waterweed	Hydrocharitaceae	PG	1	Lion Canyon 3411952	Wetlands: Shallow water, sloughs, ponds, lakes;	300-2600 m	Decomposed plant material, Muck/Peat, Silt loam, Loam, Sandy loam, Sand	Jul-Aug
147	146	<i>Elymus cinereus</i>	Great basin wildrye	Poaceae	PG	1	Lockwood Valley 3411961	Sagebrush Scrub, Pinyon-Juniper Woodland, wetland- riparian	< 3100 m	No Referenced Soil Type Found For Species.	Jun-Aug

	A	B	E	F	G	I	J	K	L	M	N
1	ID #	Scientific Name	Common Name	Family	Habit	LIS Listed Occurrences in Ventura County	Areas Currently Documented in Ventura County	Associated Vegetation Communities	Elevations Present Within	Associated Soil Types	Bloom Period
154	153	<i>Epilobium glaberrimum subsp. glaberrimum</i>	Waxy willow-herb, Glaucus willowherb	Onagraceae	AH	4	Alamo Mountain 3411868, Sawmill Mountain 3411972	Well-drained, gravelly soils, streambanks,	150-3000 m	Occurs usually in wetlands, occasionally in non wetlands	Jun-Sep
155	154	<i>Epilobium halleanum</i>	Hall's willowherb	Onagraceae	PH	2	Sawmill Mountain 3411972,	Moist meadows, streambanks	100-3700 m	Decomposed plant material, Sandy loam	Jun-Sep

	A	B	E	F	G	I	J	K	L	M	N
1	ID #	Scientific Name	Common Name	Family	Habit	LIS Listed Occurrences in Ventura County	Areas Currently Documented in Ventura County	Associated Vegetation Communities	Elevations Present Within	Associated Soil Types	Bloom Period
156	155	<i>Epilobium minutum</i>	Chaparral willowherb	Onagraceae	AH	1	Sawmill Mountain 3411972, Lockwood Valley 3411961, Alamo Mountain 3411868, Lion Canyon 3411952, Old Man Mountain 3411954	Yellow Pine Forest, Mixed Evergreen Forest, Foothill Woodland, Chaparral	15-2320 m	Clay, Clay loam, Loam, Sandy loam, Bedrock, Rocky, Decomposed plant material	Apr-Sep
157	156	<i>Epilobium ravenii</i>	California willowherb	Onagraceae	AH	2	San Guillermo 3411962, Rancho Nuevo Creek 3411964	Dry, open, disturbed areas	20-1900 m	No Referenced Soil Type Found For Species.	Apr-Aug
158	157	<i>Eragrostis pectinacea var. miserrima</i>	Gulf lovegrass	Poaceae	AG	1	Thousand Oaks 3411827, Saticoy 3411932	wetland-riparian	< 500 m	No Referenced Soil Type Found For Species.	Jul-Nov
159	158	<i>Ericameria cooperi var. cooperi</i>	Cooper goldenbush	Asteraceae	S	2	Alamo Mountain 3411868	Creosote Bush Scrub, Joshua Tree Woodland	300-2000 m	Loam	Mar-Jun

	A	B	E	F	G	I	J	K	L	M	N
1	ID #	Scientific Name	Common Name	Family	Habit	LIS Listed Occurrences in Ventura County	Areas Currently Documented in Ventura County	Associated Vegetation Communities	Elevations Present Within	Associated Soil Types	Bloom Period
175	174	<i>Hieracium albiflorum</i>	White hawkweed	Asteraceae	PH	2	Reyes Peak 3411963	Redwood Forest, Douglas-Fir Forest, Yellow Pine Forest, Red Fir Forest, Lodgepole Forest	< 3300 m	Decomposed plant material, Clay loam, Loam, Sandy loam, Bedrock, Rocky	May-Sep

	A	B	E	F	G	I	J	K	L	M	N
1	ID #	Scientific Name	Common Name	Family	Habit	LIS Listed Occurrences in Ventura County	Areas Currently Documented in Ventura County	Associated Vegetation Communities	Elevations Present Within	Associated Soil Types	Bloom Period
175		<i>Hordeum brachyantherum</i> subsp. <i>brachyantherum</i>	Northern barley, Meadow barley	Poaceae	AG	2	Lockwood Valley 3411961, Devils Heart Peak 3411858, Santa Paula 3411931, Thousand Oaks 3411827, Point Mugu 3411911	Yellow Pine Forest, Red Fir Forest, Lodgepole Forest, Subalpine Forest, Foothill Woodland, Chaparral, Valley Grassland, Alpine Fell-fields, wetland-riparian, many plant communities	< 3400 m	Clay, Silty clay, Clay loam, Loam, Sandy loam, Bedrock, Rocky	May-Aug

	A	B	E	F	G	I	J	K	L	M	N
1	ID #	Scientific Name	Common Name	Family	Habit	LIS Listed Occurrences in Ventura County	Areas Currently Documented in Ventura County	Associated Vegetation Communities	Elevations Present Within	Associated Soil Types	Bloom Period
182	181	<i>Kopsiopsis strobilacea</i>	California ground cone	Orobanchaceae	PH	5	Lion Canyon 3411952, Santa Paula Peak 3411941	Yellow Pine Forest, Red Fir Forest, Lodgepole Forest, Subalpine Forest, Foothill Woodland, Chaparral, Valley Grassland, many plant communities	< 3000 m	Decomposed plant material, Clay loam, Loam, Sandy loam, Bedrock	Apr-Jun
183	182	<i>Lemna aequinoctialis</i>	Lesser duckweed	Asteraceae	AG	1	Ventura 3411933	wetland-riparian	< 200 m	No Referenced Soil Type Found For Species.	Sep-Dec
184	183	<i>Lemna minor</i>	Duckweed, Smaller duckweed	Araceae	AG	2	Matilija 3411943 Ventura 3411933,	Occurs in wetlands	< 2000 m	Clay, Silty clay loam, Clay loam, Silt loam, Loam, Sandy loam, Sand, Decomposed plant material	Aug
185	184	<i>Lemna turionifera</i>	Turion duckweed	Araceae	AG	4	Santa Paula 3411931, Ventura 3411933,	wetland-riparian: Freshwater	< 3000 m	No Referenced Soil Type Found For Species.	Aug
186	185	<i>Lepidium dictyotum</i>	Alkali pepperwort, Alkali pepperweed	Brassicaceae	AH	1	Camarillo 341192, □ San Guillermo 3411962	Alkali Sink, Valley Grassland, wetland-riparian. Found in: dry stream beds, roadsides, sandy flats, fields, meadows, dried pools	< 1600 m	Clay loam, Loam	Mar-Jun
187	186	<i>Lessingia glandulifera</i> var. <i>peirsonii</i>	Peirson lessingia	Asteraceae	AH	1	Alamo Mountain 3411868, Wheeler Springs 3411953	Dry foothills, desert washes, roadsides,	300-1850 m	generally in sandy soil	May-Sep

	A	B	E	F	G	I	J	K	L	M	N
1	ID #	Scientific Name	Common Name	Family	Habit	LIS Listed Occurrences in Ventura County	Areas Currently Documented in Ventura County	Associated Vegetation Communities	Elevations Present Within	Associated Soil Types	Bloom Period
188	187	<i>Limosella aquatica</i>	Mudwort, Northern mudwort	Plantaginaceae	AH	1	□ Lockwood Valley 3411961	Freshwater Wetlands, Yellow Pine Forest, Red Fir Forest, Lodgepole Forest, Subalpine Forest, Foothill Woodland, Chaparral, Valley Grassland, Alpine Fell-fields, wetland-riparian, many plant communities	< 3200 m	Sandy loam	Jun-Sep
189	188	<i>Logfia depressa</i>	Hierba limpa	Asteraceae	AH	1	Newbury Park 3411828	Creosote Bush Scrub, Joshua Tree Woodland	< 1500 m	Loam, Sandy loam, Loamy sand, Sand	Feb-May
190	189	<i>Lycium andersonii</i>	Anderson desert-thorn	Solanaceae	S	1	Ballinger Canyon 3411984, Cuyama Peak 3411974, Santa Susana 3411836	Coastal Sage Scrub, Sagebrush Scrub, Creosote Bush Scrub, Chaparral, Pinyon-Juniper Woodland	< 1900 m	Loam, Sandy loam, Loamy sand, Sand, Bedrock, Rocky, Variable	Mar-May
191	190	<i>Madia sativa</i>	Coast tarweed	Asteraceae	AH	4	Wheeler Springs 3411953, Lion Canyon 3411952, Matilija 3411943, Thousand Oaks 3411827	Grassy open sites, characteristic of disturbed places, many plant communities	< 1000 m	Clay, Clay loam, Loam, Sandy loam, Loamy sand, Sand, Variable, Decomposed plant material	May-Oct
192	191	<i>Malacothrix glabrata</i>	Desert dandelion	Asteraceae	AH	2	Wheeler Springs 3411953	Shadscale Scrub, Creosote Bush Scrub, Joshua Tree Woodland	< 2000 m	Coarse soils: Clay loam, Loam, Sandy loam, Loamy sand, Sand, Bedrock	Mar-Jun

	A	B	E	F	G	I	J	K	L	M	N
1	ID #	Scientific Name	Common Name	Family	Habit	LIS Listed Occurrences in Ventura County	Areas Currently Documented in Ventura County	Associated Vegetation Communities	Elevations Present Within	Associated Soil Types	Bloom Period
193	192	<i>Marsilea vestita</i> subsp. <i>vestita</i>	Hairy pepperwort,	Marsiliaceae	PF	3	Ojai 3411942, Matilija 3411943, Simi 3411837	Shadscale Scrub, Creosote Bush Scrub, Joshua Tree Woodland	< 2200 m	Clay, Clay loam, Loam, Sandy loam	Apr-Oct
194	193	<i>Meconella denticulata</i>	Small flowered meconella	Papaveraceae	AH	5	Wheeler Springs 3411953, Matilija 3411943, Cobblestone Mtn. 3411857, Piru 3411847, Santa Susana 3411836	Coastal Sage Scrub, Chaparral	< 1250 m	Sandy loam, Sand	Mar-Jun
195	194	<i>Microseris douglasii</i> subsp. <i>douglasii</i>	Douglas' microseris, Douglas' silverpuffs	Asteraceae	AH	3	Rancho Nuevo Creek 3411964, Ventura 3411933, Oxnard 3411922, Newbury Park 3411828, Thousand Oaks 3411827	grassland, often near vernal pools or serpentine outcrops	< 1100 m	Decomposed plant material, Clay, Clay loam, Loam, Sandy loam	Mar-Jun
196	195	<i>Microseris douglasii</i> subsp. <i>tenella</i>	Slender douglas microseris	Asteraceae	AH	1	Newbury Park 3411828	grassland, often near vernal pools or serpentine outcrops	< 500 m	Decomposed plant material, Clay, Clay loam, Loam	Mar-Jun

	A	B	E	F	G	I	J	K	L	M	N
1	ID #	Scientific Name	Common Name	Family	Habit	LIS Listed Occurrences in Ventura County	Areas Currently Documented in Ventura County	Associated Vegetation Communities	Elevations Present Within	Associated Soil Types	Bloom Period
197	196	<i>Mirabilis multiflora</i> var. <i>pubescens</i>	Froebel four o'clock, Colorado four o'clock	Nyctaginaceae	PH	2	Ballinger Canyon 3411984, Cuyama Peak 3411974,	Creosote Bush Scrub, Pinyon-Juniper Woodland: Dry, rocky or sandy places	50-2100 m	Loam, Sandy loam	Apr-Aug
198	197	<i>Morella californica</i>	California wax-myrtle,	Myricaceae	S	1	Ventura 3411933	Coastal Strand, Northern Coastal Scrub, Closed-cone Pine Forest, Redwood Forest, wetland-riparian	< 150 m	Decomposed plant material, Clay loam, Loam, Sandy loam, Loamy sand, Sand, Variable	Mar-Apr
199	198	<i>Myosurus minimus</i>	Common mousetails	Ranunculaceae	AH	1	Ballinger Canyon 3411984, Apache Canyon 3411973, Rancho Nuevo Creek 3411964, Reyes Peak 3411963, Lockwood Valley 3411961	Freshwater Wetlands, Coastal Sage Scrub, Yellow Pine Forest, Red Fir Forest, Lodgepole Forest, Subalpine Forest, Northern Oak Woodland, Foothill Woodland, Chaparral, wetland-riparian	< 2100 m	Clay, Clay loam, Loam, Sandy loam, Sand	Apr-Jun
200	199	<i>Myriopteris cooperae</i>	Cooper's lip-fern	Pteridaceae	PF	2	Ventura 3411933	Coastal Sage Scrub, Foothill Woodland, Chaparral	100-800 m	Loam	Late Spring-summer

	A	B	E	F	G	I	J	K	L	M	N
1	ID #	Scientific Name	Common Name	Family	Habit	LIS Listed Occurrences in Ventura County	Areas Currently Documented in Ventura County	Associated Vegetation Communities	Elevations Present Within	Associated Soil Types	Bloom Period
201	200	<i>Myriopteris newberryi</i>	Newberry's lip fern	Pteridaceae	PF	4	Camarillo 3411921, Newbury Park 3411828, Thousand Oaks 3411827	Coastal Sage Scrub, Chaparral	100-800 m	No Referenced Soil Type Found For Species.	May - Aug
202	201	<i>Nemacladus capillaris</i>	Common nemacladus	Campanulaceae	AH	1	Lion Canyon 3411952	Yellow Pine Forest, Chaparral	400-2100 m	Decomposed plant material, Loam, Sandy loam, Rocky	May-Jul
203	202	<i>Opuntia basilaris</i> var. <i>basilaris</i>	Beavertail cactus	Cactaceae	S	1	Alamo Mountain 3411868, Newbury Park 3411828,	Desert to pinyon/juniper woodland	150-2200 m	Loam, Sandy loam, Loamy sand, Sand, Bedrock	Mar-Jun
204	203	<i>Papaver californicum</i>	Fire poppy	Papaveraceae	AH	5	Old Man Mountain 3411954, Matilija 3411943, Santa Susana 3411836, Thousand Oaks 3411827	Northern Oak Woodland, Southern Oak Woodland, Chaparral	< 1200 m	Decomposed plant material, Clay loam, Silt loam, Loam, Sandy loam, Loamy sand, Sand, Bedrock	Apr-May
205	204	<i>Perityle emoryi</i>	Emory's rock daisy	Asteraceae	AH	1	Triunfo Pass 3411818, Point Mugu 3411911	Coastal Sage Scrub, Creosote Bush Scrub	< 1300 m	Decomposed plant material, Silt loam, Loam, Sandy loam, Loamy sand, Sand, Bedrock, Rocky, Variable	Jan-Jun, Oct-Nov
206	205	<i>Phacelia grisea</i>	Grey phacelia, white-flowered phacelia	Boraginaceae	AH	1	Santa Paula Peak 3411941, Wheeler Springs 3411953	Chaparral	300-1200 m	Clay loam, Loam, Sandy loam	Apr-Jul
207	206	<i>Phyla lanceolata</i>	Narrowleaf frog-fruit, Lance leaf lippia	Verbenaceae	PH	1	Thousand Oaks 3411827	Freshwater Wetlands, Valley Grassland, wetland-riparian	< 400 m	No Referenced Soil Type Found For Species.	May-Nov

	A	B	E	F	G	I	J	K	L	M	N
1	ID #	Scientific Name	Common Name	Family	Habit	LIS Listed Occurrences in Ventura County	Areas Currently Documented in Ventura County	Associated Vegetation Communities	Elevations Present Within	Associated Soil Types	Bloom Period
208	207	<i>Pilularia americana</i>	American pillwort	Marsiliaceae	PF	2	□ Lockwood Valley 3411961, Matilija 3411943	Valley Grassland, wetland-riparian	< 2000 m	Silt loam, Loam, Sandy loam	Jun-Jul
209	208	<i>Pinus flexilis</i>	Limber pine	Pinaceae	T	1	Sawmill Mountain 3411972, □	Lodgepole Forest, Subalpine Forest, Bristle- cone Pine Forest	1830-3700 m	Loam, Sandy loam, Loamy sand, Bedrock	Jun-Aug
210	209	<i>Pinus sabiniana</i>	Foothill, Ghost, or Gray pine	Pinaceae	T	1	□ Cobblestone Mtn. 3411857	Foothill Woodland, northern oak woodland, chaparral	150-1500 m	Clay, Silty clay loam, Clay loam, Sandy clay loam, Silt loam, Loam, Sandy loam, Loamy sand, Sand, Bedrock, Rocky, Variable, Decomposed plant material	Feb-Mar
211	210	<i>Plagiobothrys undulatus</i>	Wavy-stemmed popcornflower	Boraginaceae	AH	1	Ojai 3411942, □ Matilija 3411943, Newbury Park 3411828	Foothill Woodland, Chaparral, Valley Grassland, wetland- riparian, many plant communities	< 400 m	Sandy loam	Mar-Jun
212	211	<i>Platanthera sparsiflora</i>	Sparse-flowered bog orchid	Orchidaceae	PG	1-2*	□ Sawmill Mountain 3411972, Cuddy Valley 3411971	Yellow Pine Forest, Red Fir Forest, Lodgepole Forest, Subalpine Forest, wetland-riparian	100-3400 m	Decomposed plant material, Loam, Sandy loam, Bedrock	May-Sep
213	212	<i>Polygonum polygaloides</i> subsp. <i>kelloggii</i>	Kellogg knotweed	Polygonaceae	AH	1	Sawmill Mountain 3411972	Sagebrush Scrub, Lodgepole Forest, Subalpine Forest, Alpine Fell-fields, wetland- riparian	1500-3300 m	Clay, Loam, Sandy loam, Bedrock	Jun-Sep

	A	B	E	F	G	I	J	K	L	M	N
1	ID #	Scientific Name	Common Name	Family	Habit	LIS Listed Occurrences in Ventura County	Areas Currently Documented in Ventura County	Associated Vegetation Communities	Elevations Present Within	Associated Soil Types	Bloom Period
214	213	<i>Polystichum imbricans</i> subsp. <i>Imbricans</i>	Imbricate sword fern	Dryopteridaceae	PF	1	□ White Ledge Peak 3411944	Shaded or exposed outcrops, banks, slopes, rocky areas;	300-2500 m	Decomposed plant material, Loam, Sandy loam, Loamy sand, Bedrock	
215	214	<i>Primula clevelandii</i> var. <i>patula</i>	Padre's shooting star	Primulaceae	PH	3	Triunfo Pass 3411818, Newbury Park 3411828	Moist Areas	30 to 1380 meters	Decomposed plant material, Clay, Silty clay loam, Clay loam, Silt loam, Loam, Sandy loam, Loamy sand	Mar-May
216	215	<i>Primula tetrandra</i>	Alpine shooting star	Primulaceae	PH	2	□ Sawmill Mountain 3411972	Yellow Pine Forest, Red Fir Forest, Lodgepole Forest, Subalpine Forest, Alpine Fell-fields, wetland-riparian	1700-3400 m	No Referenced Soil Type Found For Species.	Jun-Aug
217	216	<i>Pyrola picta</i>	White-veined wintergreen	Ericaceae	PH	2	Sawmill Mountain 3411972, San Guillermo 3411962	Redwood Forest, Yellow Pine Forest, Red Fir Forest, Lodgepole Forest	400-2400 m	Decomposed plant material, Loam, Sandy loam, Bedrock, Rocky	Jun-Aug
218	217	<i>Quercus palmeri</i>	Palmer's oak	Fagaceae	T	1	Simi 3411837, Thousand Oaks 3411827	Chaparral	300-1600 m	Decomposed plant material, Clay, Loam, Sandy loam	Apr-May
219	218	<i>Ribes amarum</i>	Bitter gooseberry	Grossulariaceae	S	1	Reyes Peak 3411963, Santa Paula Peak 3411941, White Ledge Peak 3411944	Yellow Pine Forest, Foothill Woodland, Chaparral	15-1910 m	Decomposed plant material, Clay loam, Loam, Sandy loam	Feb-Apr

	A	B	E	F	G	I	J	K	L	M	N
1	ID #	Scientific Name	Common Name	Family	Habit	LIS Listed Occurrences in Ventura County	Areas Currently Documented in Ventura County	Associated Vegetation Communities	Elevations Present Within	Associated Soil Types	Bloom Period
220	219	<i>Ribes aureum var. gracillimum</i>	Slender golden currant	Grossulariaceae	S	4	Wheeler Springs 3411953, □ Lion Canyon 3411952, □ Matilija 3411943, Ventura 3411933	wetland-riparian, Alluvial areas, forest edges	105-910 m	Silty clay loam, Loam, Sandy loam, Sand	Feb-May
221	220	<i>Rorippa curvisiliqua</i>	Curved-pod watercress	Brassicaceae	AH	4	Reyes Peak 3411963, Lockwood Valley 3411961, □ Alamo Mountain 3411868, Matilija 3411943, Thousand Oaks 3411827, Triunfo Pass 3411818	Yellow Pine Forest, Red Fir Forest, Lodgepole Forest, Subalpine Forest, Foothill Woodland, Chaparral, Valley Grassland, Alpine Fell-fields, wetland-riparian, many plant communities	< 3500 m	Clay loam, Silt loam, Loam, Sandy loam, Loamy sand, Sand, Bedrock, Variable, Decomposed plant material	May-Oct
222	221	<i>Rumex transitorius</i>	Willow dock	Polygonaceae	PH	1	Ventura 3411933	Yellow Pine Forest, Foothill Woodland, Chaparral, Valley Grassland, wetland-riparian, many plant communities	< 2250 m	Loam, Sandy loam	Apr-Jun
223	222	<i>Salicornia bigelovii</i>	Bigelow pickleweed	Chenopodiaceae	AH	1	□ Point Mugu 3411911	Coastal Salt Marsh, wetland-riparian	< 20 m	Sand, Variable	Jul-Nov
224	223	<i>Salicornia depressa</i>	Pickleweed, Virginia glasswort	Chenopodiaceae	AH	2	□ Point Mugu 3411911, Oxnard 3411922, Ventura 3411933	Coastal Salt Marsh, wetland-riparian	< 610 m	Clay, Muck/Peat, Silty clay, Silty clay loam, Clay loam, Loam, Sand, Variable	Jul-Sep

	A	B	E	F	G	I	J	K	L	M	N
1	ID #	Scientific Name	Common Name	Family	Habit	LIS Listed Occurrences in Ventura County	Areas Currently Documented in Ventura County	Associated Vegetation Communities	Elevations Present Within	Associated Soil Types	Bloom Period
230	229	<i>Symphoricarpos albus var. laevigatus</i>	Common snowberry	Caprifoliaceae	S	2	Frazier Mtn. 3411878, □ Lion Canyon 3411952, Ventura 3411933	Yellow Pine Forest, Mixed Evergreen Forest, Foothill Woodland: Shady woodland, streambanks, northern slopes	< 1200 m	Decomposed plant material, Clay, Clay loam, Silt loam, Loam, Sandy loam, Sand	May-Jul
231	230	<i>Symphyotrichum lanceolatum var. hesperium</i>	Siskiyou aster, Western lance leaf aster	Asteraceae	PH	2	Cuddy Valley 3411971	Sagebrush Scrub, Southern Oak Woodland, Chaparral, wetland-riparian	< 2000 m	Clay loam, Loam, Sandy loam	Jul-Aug
232	231	<i>Torreyostellaria jamesiana</i>	False chickweed, Tuber starwort	Caryophyllaceae	PH	1	Frazier Mtn. 3411878	Yellow Pine Forest, Red Fir Forest, sagebrush-grassland, dry understory of conifer forest	1400-2700 m	Decomposed plant material, Loam, Sandy loam	Jun-Aug
233	232	<i>Trifolium bifidum</i>	Pinole clover	Fabaceae	AH	1	Ventura 3411933	Open, grassy areas, oak chaparral, forest;	< 1000 m	Decomposed plant material, Clay loam, Loam, Sandy loam	Apr-Jun
234	233	<i>Veratrum californicum var. californicum</i>	California false hellebore	Melanthiaceae	PG	1	Sawmill Mountain 3411972	Douglas-Fir Forest, Yellow Pine Forest, Red Fir Forest, Lodgepole Forest, Subalpine Forest, wetland-riparian	< 3500 m	Decomposed plant material, Muck/Peat, Loam, Sandy loam, Bedrock	Jul-Aug

